

Valves / Plumbing Equipment / Pressure Reducing Valve

CONSTRUCTIVE PROPERTIES

	STANDARD	OPTIONAL
Case	Brass Nickel Coated	-
Connection	G 1/2" B	-
Sealing	NBR	-
Pressure Gauges	-	Ø 0,50mm × 0-16 bar
Piston	Brass	-
Springs	Steel Nickel Plated	-

USAGE PROPERTIES


Max.Outlet Pressure	1-6 bar	-
Conformity	TS EN 1567	-
Max.Water Temp.	80 °C	-
Max.Pressure	16 bar	-



1303110000

Pressure Regulator Manometer

www.Laheghi.com



Model No: 1303110000

www.Laheghi.com



Constructional Properties

Part #	Part / Group Name	Material	Pcs	Explanation
1	Manometer		1	
2	Cap	Brass CW617N	1	Nickel Plated
3	Body	Brass CW617N	1	Nickel Plated
4	O-Ring	NBR 70	1	01/B70 NBR
5	O-Ring	NBR 70	1	01/B70 NBR
6	Gasket Disc	Brass CW614N	1	
7	Gasket	NBR 70	1	01/B70 NBR
8	Pin	St. Steel	1	AISI 303
9	Piston Shaft	Brass CW614N	1	
10	O-Ring	NBR 70	1	01/B70 NBR
11	Piston	Brass CW614N	1	
12	Adjustment Cap	Brass CW617N	1	Nickel Plated
13	Adjustment Spring	St. Steel	1	AISI 302
14	Cartridge	Brass CW614N	1	
15	Cap	ABS	1	GP 22